
## **Cruizer – GPS out to third party controller**

Typically when using the 115-0171-689 Y cable, you already have a GPS out connection, and the -689 cable would split that GPS and allow you to take it to a secondary display.

So, in the case of the Cruizer, you would already have the 115-0171-794 plugged into port B. Then on the GPS out connection of the 794, you would plug in the -689. So, you would utilize port B and it would export GPS at a baud of 19200 automatically.



## FIGURE 1. Back Panel of Cruizer Console

					R. DESCHIP -1 REVISED PER ECO E1286 A REVISED PER ECO E1103	9 2/7/08 5 5/4/09	LAA1 LAA1
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1	OTY, NOMENCLATURE O		PART OR IDEVITIFING NO. LIST OF MATERIALS OR PA 07/05/06		MATERIAL OR NOTE	ITEM NO.
CABLE1-CREEN		DNENSIONS ARE IN INCHES ONE FLACE DECIMALS ±.06 TWO FLACE DECIMALS ±.010 THREE PLACE DECIMALS ±.010 THRETONS ±1/16 ANGLES ± 0'-30' BREAK EDGES .005015 WATERAL	CHECKED GRG PROJ. ENG. LAA1 <u>NOTICE:</u> THIS DRAMING AND THE PROVIDED ARE PROVIDED AR NOUSTRIES INC., AND M USED AS AUTHOREED B INDUSTRIES INC.	9/03/09 7/7/06 TITLE INFORMATION MAY ONLY BE BY RANEN	CAVEN CABLE, SINGLE PORT	Y-ADAPTER, TO DUAL PORT	
CABLE2-BLACK 22 GA. (54) $T\alpha < 2$ J3 WIRING DIAGRAM		- FINISH -	ALL RIGHTS RESERVED U COPYRIGHT LAWS. RELEASE FOR PRO NUMBER APPROVED	RODUCTION 14	IDENT NO. SIZE DRAM 1979 C	ING NUMBER 115-0171-689	
	NEXT ASSEMBLY	DO NOT SCALE DRAMING	E10807 LAA1	7/7/06 SCALE	NA	SHEET 1 OF	1

## CRUIZER WITH HELIX ANTENNA, SMARTRAX/SMARTRAX 3D

